


**OFFICIAL QUOTE** 

### 3KVA 220 VOLTS TO 460 VOLTS SINGLE PHASE AUTOTRANSFORMER





## **3KVA 220 VOLTS TO 460 VOLTS SINGLE PHASE AUTOTRANSFORMER**

# \$819.10 CAD

Single Phase Autotransformer with a capacity of 3kVA, transforming 220 Volts to 460 Volts

SKU: MC3C2-H1 Categories: <u>Autotransformer</u>

#### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES



| H0 / X0 | X1 | H1 |
|---------|----|----|

Single Phase Autotransformer with a capacity of 3kVA, transforming 220 Volts to 460 Volts



**OFFICIAL QUOTE** 

#### 3KVA 220 VOLTS TO 460 VOLTS SINGLE PHASE AUTOTRANSFORMER



#### **PRODUCT SPECIFICATIONS**

| Weight                     | 58.1 lbs  |  |
|----------------------------|---|--|
| Phases                     | 1   |  |
| kVA                        | 3   |  |
| Connection                 | <u>1PhA-NT-1</u>  |  |
| Primary Voltage            | 220   |  |
| Primary Max Current        | <u>7.9A</u>   |  |
| Primary Markings           | <u>X0-X1</u>  |  |
| Primary Terminals          | Terminal Blocks   |  |
| Secondary Voltage          | <u>460</u>  |  |
| Secondary Max Current      | <u>3.8A</u>   |  |
| Secondary Markings         | <u>H0-H1</u>  |  |
| Secondary Terminals        | Terminal Blocks   |  |
| Primary Taps               | N/A   |  |
| Conductor Material         | <u>Copper</u>   |  |
| Insulation Class           | <u>180°C (Class F)</u>  |  |
| BIL (Insulation) Level     | <u>10kV</u>   |  |
| Efficiency (@35% Load) %   | <u>N/A</u>  |  |
| Impedance Range            | <u>1.5 – 3.5%</u>   |  |
| Sound (db)                 | <u>40 dB</u>  |  |
| Enclosure Type             | NEMA 1  |  |
| Enclosure Size             | <u>E1-0</u>   |  |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey  |  |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015<br>Registered |  |



**OFFICIAL QUOTE** 

#### 3KVA 220 VOLTS TO 460 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer

Canada/RPM