


OFFICIAL QUOTE

75KVA 208 VOLTS TO 220 VOLTS SINGLE PHASE AUTOTRANSFORMER





75KVA 208 VOLTS TO 220 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$1,309.70 CAD


Single Phase Autotransformer with a capacity of 75kVA, transforming 208 Volts to 220 Volts

SKU: MC75B-C2

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 75kVA, transforming 208 Volts to 220 Volts



OFFICIAL QUOTE



75KVA 208 VOLTS TO 220 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Weight	86.9 lbs
Phases	1
kVA	<u>75</u>
Connection	<u>1PhA-NT-1</u>
Primary Voltage	208
Primary Max Current	208.2A
Primary Markings	<u>X0-X1</u>
Primary Terminals	600MCM-2
Secondary Voltage	220
Secondary Max Current	<u>196.8A</u>
Secondary Markings	<u>H0-H1</u>
Secondary Terminals	600MCM-2
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	0.5 – 1.5%
Sound (db)	40 dB
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-2</u>
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

75KVA 208 VOLTS TO 220 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------