

**OFFICIAL QUOTE** 

# 7.5KVA 575 VOLTS TO 240 VOLTS SINGLE PHASE AUTOTRANSFORMER





# 7.5KVA 575 VOLTS TO 240 VOLTS SINGLE PHASE AUTOTRANSFORMER

# \$1,351.00 CAD

Single Phase Autotransformer with a capacity of 7.5kVA, transforming 575 Volts to 240 Volts

SKU: MC7J1-C Categories: <u>Autotransformer</u>

# SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 7.5kVA, transforming 575 Volts to 240 Volts



**OFFICIAL QUOTE** 

### 7.5KVA 575 VOLTS TO 240 VOLTS SINGLE PHASE AUTOTRANSFORMER



#### **PRODUCT SPECIFICATIONS**

| Weight                     | 78.8 lbs  |
|----------------------------|---|
| Phases                     | 1   |
| kVA                        | <u>7.5</u>  |
| Connection                 | <u>1PhA-NT-1</u>  |
| Primary Voltage            | <u>575</u>  |
| Primary Max Current        | <u>7.5A</u>   |
| Primary Markings           | <u>H0-H1</u>  |
| Primary Terminals          | Terminal Blocks   |
| Secondary Voltage          | 240   |
| Secondary Max Current      | <u>18A</u>  |
| Secondary Markings         | <u>X0-X1</u>  |
| Secondary Terminals        | Terminal Blocks   |
| Primary Taps               | N/A   |
| Conductor Material         | <u>Copper</u>   |
| Insulation Class           | <u>220°C (Class H)</u>  |
| BIL (Insulation) Level     | <u>10kV</u>   |
| Efficiency (@35% Load) %   | <u>N/A</u>  |
| Impedance Range            | <u>1.5 - 3.5%</u>   |
| Sound (db)                 | <u>40 dB</u>  |
| Enclosure Type             | NEMA 1  |
| Enclosure Size             | <u>E1-2</u>   |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey  |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015<br>Registered |



**OFFICIAL QUOTE** 

#### 7.5KVA 575 VOLTS TO 240 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer

Canada/RPM