


#### **OFFICIAL QUOTE**

### 15KVA 240 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER





### 15KVA 240 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$1,771.70 CAD


Single Phase Autotransformer with a capacity of 15kVA, transforming 240 Volts to 115 Volts

**SKU:** MC15C-A1

**Categories:** <u>Autotransformer</u>

#### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 15kVA, transforming 240 Volts to 115 Volts



#### **OFFICIAL QUOTE**



## 15KVA 240 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER

#### **PRODUCT SPECIFICATIONS**

| PRODUCT SPECIFICATIONS     |  |
|----------------------------|--|
| Weight                     | 104.4 lbs  |
| Phases                     | 1  |
| kVA                        | <u>15</u>  |
| Connection                 | 1PhA-NT-1  |
| Primary Voltage            | 240  |
| Primary Max Current        | <u>36.1A</u>   |
| Primary Markings           | <u>H0-H1</u>   |
| Primary Terminals          | #2-14 AWG  |
| Secondary Voltage          | 115  |
| Secondary Max Current      | 75.3A  |
| Secondary Markings         | <u>X0-X1</u>   |
| Secondary Terminals        | #2/0-6 AWG   |
| Primary Taps               | N/A  |
| Conductor Material         | Copper   |
| Insulation Class           | 220°C (Class H)  |
| BIL (Insulation) Level     | <u>10kV</u>  |
| Efficiency (@35% Load) %   | N/A  |
| Impedance Range            | 1.5 - 3.5%   |
| Sound (db)                 | 40 dB  |
| Enclosure Type             | NEMA 3R Indoor   |
| Enclosure Size             | <u>E3R-4</u>   |
| Finish/Colour              | Polyester Powder Coat - ANSI/ASA 61 Grey   |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



#### **OFFICIAL QUOTE**

# 15KVA 240 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | <u>Canada/RPM</u> |
|----------------------|-------------------|
|----------------------|-------------------|