

## **OFFICIAL QUOTE**

## 150KVA 230 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER





# 150KVA 230 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER


\$7,491.60 CAD

Three Phase Autotransformer with a capacity of 150kVA, transforming 230Y Volts to 550Y Volts

SKU: RA150C1-J2

**Categories:** Autotransformer

### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 150kVA, transforming 230Y Volts to 550Y Volts



## **OFFICIAL QUOTE 150KVA 230 VOLTS TO 550 VOLTS** THREE PHASE AUTOTRANSFORMER



## **PRODUCT SPECIFICATIONS**

| Weight                     | 575 lbs   |
|----------------------------|---|
| Phases                     | <u>3</u>  |
| kVA                        | 150   |
| Connection                 | 3PhA-NT-1   |
| Primary Voltage            | 230   |
| Primary Max Current        | 376.5A  |
| Primary Markings           | <u>X1-X2-X3</u>   |
| Primary Terminals          | <u>Pads</u>   |
| Secondary Voltage          | <u>550</u>  |
| Secondary Max Current      | <u>157.5A</u>   |
| Secondary Markings         | <u>H1-H2-H3</u>   |
| Secondary Terminals        | 300MCM-6  |
| Primary Taps               | N/A   |
| Conductor Material         | Aluminum  |
| Insulation Class           | 220°C (Class H)   |
| BIL (Insulation) Level     | <u>10kV</u>   |
| Efficiency (@35% Load) %   | N/A   |
| Impedance Range            | 1.5 - 3.5%  |
| Sound (db)                 | <u>55</u>   |
| Enclosure Type             | NEMA 3R Indoor  |
| Enclosure Size             | <u>E3R-8</u>  |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey  |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015  Registered |



## **OFFICIAL QUOTE**

# 150KVA 230 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|