

#### **OFFICIAL QUOTE**

### 150KVA 110 VOLTS TO 240 VOLTS SINGLE PHASE AUTOTRANSFORMER





# 150KVA 110 VOLTS TO 240 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$8,847.20 CAD


Single Phase Autotransformer with a capacity of 150kVA, transforming 110 Volts to 240 Volts

**SKU:** MC150A2-C

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Single Phase Autotransformer with a capacity of 150kVA, transforming 110 Volts to 240 Volts



#### **OFFICIAL QUOTE**





#### **PRODUCT SPECIFICATIONS**

| PRODUCT SPECIFICATIONS     |   |
|----------------------------|---|
| Weight                     | 648.4 lbs   |
| Phases                     | 1   |
| kVA                        | 150   |
| Connection                 | <u>1PhA-NT-1</u>  |
| Primary Voltage            | 110   |
| Primary Max Current        | 787.3A  |
| Primary Markings           | <u>X0-X1</u>  |
| Primary Terminals          | <u>Pads</u>   |
| Secondary Voltage          | 240   |
| Secondary Max Current      | 360.8A  |
| Secondary Markings         | <u>H0-H1</u>  |
| Secondary Terminals        | Pads  |
| Primary Taps               | N/A   |
| Conductor Material         | Copper  |
| Insulation Class           | 220°C (Class H)   |
| BIL (Insulation) Level     | 10kV  |
| Efficiency (@35% Load) %   | N/A   |
| Impedance Range            | 1.5 - 3.5%  |
| Sound (db)                 | <u>55 dB</u>  |
| Enclosure Type             | NEMA 3R Indoor  |
| Enclosure Size             | E3R-8S  |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey  |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015  Registered |



#### **OFFICIAL QUOTE**

## 150KVA 110 VOLTS TO 240 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | <u>Canada/RPM</u> |
|----------------------|-------------------|
|----------------------|-------------------|