

**OFFICIAL QUOTE** 

75VA 208 VOLTS TO 120/240 VOLTS SINGLE PHASE CONTROL TRANSFORMER






## 75VA 208 VOLTS TO 120/240 VOLTS SINGLE PHASE CONTROL TRANSFORMER


# \$111.02 CAD

Single Phase Control Transformer with a capacity of 75VA, transforming 208 Volts to 120/240 Volts

SKU: CS75B-K Categories: <u>Control Transformers</u>

### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Control Transformer with a capacity of 75VA, transforming 208 Volts to 120/240 Volts



**OFFICIAL QUOTE** 

TRANSFORMER

# 75VA 208 VOLTS TO 120/240 VOLTS SINGLE PHASE CONTROL



#### **PRODUCT SPECIFICATIONS**

Weight	5 lbs
Phases	1
Connection	<u>1Ph-CT-SD-SD</u>
Primary Voltage	208
Primary Max Current	<u>0.36A</u>
Primary Markings	<u>H1-H2</u>
Primary Terminals	Terminals
Secondary Voltage	120/240
Secondary Max Current	<u>0.63A</u>
Secondary Markings	<u>X1-X2-X3-X4</u>
Secondary Terminals	Terminals
Primary Taps	Ν/Α
Conductor Material	Copper
Temperatue Rise	<u>80°C</u>
Insuation Class	<u>130°C (Class B)</u>
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>5.0 – 7.0%</u>
Sound (db)	<u>40</u>
Enclosure Type	Core & Coil
Enclosure Size	See Core & Coil Chart
Finish/Colour	N/A
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E110286, ISO 9001:2015 Registered



**OFFICIAL QUOTE** 

#### 75VA 208 VOLTS TO 120/240 VOLTS SINGLE PHASE CONTROL TRANSFORMER

