


OFFICIAL QUOTE

37.5KVA 220 VOLTS TO 200 VOLTS SINGLE PHASE AUTOTRANSFORMER





37.5KVA 220 VOLTS TO 200 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$1,196.20 CAD


Single Phase Autotransformer with a capacity of 37.5kVA, transforming 220 Volts to 200 Volts

SKU: MC37C2-B1

Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 37.5kVA, transforming 220 Volts to 200 Volts



OFFICIAL QUOTE





PRODUCT SPECIFICATIONS

Weight	76.4 lbs
Phases	1
kVA	<u>37.5</u>
Connection	<u>1PhA-NT-1</u>
Primary Voltage	220
Primary Max Current	98.4A
Primary Markings	<u>H0-H1</u>
Primary Terminals	#2/0-6 AWG
Secondary Voltage	200
Secondary Max Current	108.3A
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	#2/0-6 AWG
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	10kV
Efficiency (@35% Load) %	N/A
Impedance Range	<u>0.5 - 1.5%</u>
Sound (db)	40 dB
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-1</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

37.5KVA 220 VOLTS TO 200 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------