

OFFICIAL QUOTE

6KVA 240 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER





6KVA 240 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER


\$1,483.60 CAD


Three Phase Autotransformer with a capacity of 6kVA, transforming 240Y Volts to 550Y Volts

SKU: RC6C-J2

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 6kVA, transforming 240Y Volts to 550Y Volts



OFFICIAL QUOTE 6KVA 240 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER



PRODUCT SPECIFICATIONS

| PRODUCT SPECIFICATIONS | |
|----------------------------|--|
| Weight | 22 lbs |
| Phases | <u>3</u> |
| kVA | <u>6</u> |
| Connection | <u>3PhA-NT-1</u> |
| Primary Voltage | 240 |
| Primary Max Current | 14.4A |
| Primary Markings | <u>X1-X2-X3</u> |
| Primary Terminals | <u>Terminal Blocks</u> |
| Secondary Voltage | <u>550</u> |
| Secondary Max Current | 6.3A |
| Secondary Markings | H1-H2-H3 |
| Secondary Terminals | <u>Terminal Blocks</u> |
| Primary Taps | N/A |
| Conductor Material | <u>Copper</u> |
| Insulation Class | 220°C (Class H) |
| BIL (Insulation) Level | <u>10kV</u> |
| Efficiency (@35% Load) % | N/A |
| Impedance Range | 1.5 - 3.5% |
| Sound (db) | 40 |
| Enclosure Type | NEMA 1 |
| Enclosure Size | <u>E1-1</u> |
| Finish/Colour | Polyester Powder Coat - ANSI/ASA 61 Grey |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



OFFICIAL QUOTE

6KVA 240 VOLTS TO 550 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | <u>Canada/RPM</u> |
|----------------------|-------------------|