

#### **OFFICIAL QUOTE**

### 3KVA 415 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER





### 3KVA 415 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER

### \$998.00 CAD

Three Phase Autotransformer with a capacity of 3kVA, transforming 415Y Volts to 575Y Volts

SKU: RC3G2-J1

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Three Phase Autotransformer with a capacity of 3kVA, transforming 415Y Volts to 575Y Volts



#### **OFFICIAL QUOTE**

# 3KVA 415 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER



#### **PRODUCT SPECIFICATIONS**

| Weight                     | 20 lbs   |
|----------------------------|--|
| Phases                     | 3  |
| kVA                        | 3  |
| Connection                 | 3PhA-NT-1  |
| Primary Voltage            | 415  |
| Primary Max Current        | 4.2A   |
| Primary Markings           | X1-X2-X3   |
| Primary Terminals          | Terminal Blocks  |
| Secondary Voltage          | <u>575</u>   |
| Secondary Max Current      | <u>3A</u>  |
| Secondary Markings         | H1-H2-H3   |
| Secondary Terminals        | Terminal Blocks  |
| Primary Taps               | N/A  |
| Conductor Material         | Copper   |
| Insulation Class           | 180°C (Class F)  |
| BIL (Insulation) Level     | <u>10kV</u>  |
| Efficiency (@35% Load) %   | N/A  |
| Impedance Range            | 1.0 - 3.0%   |
| Sound (db)                 | 40   |
| Enclosure Type             | NEMA 1   |
| Enclosure Size             | <u>E1-1</u>  |
| Finish/Colour              | Polyester Powder Coat - ANSI/ASA 61 Grey   |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



#### **OFFICIAL QUOTE**

# 3KVA 415 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|