


OFFICIAL QUOTE

75KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER





75KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$4,174.80 CAD


Single Phase Autotransformer with a capacity of 75kVA, transforming 380 Volts to 230 Volts

SKU: MC75F-C1

Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 75kVA, transforming 380 Volts to 230 Volts



OFFICIAL QUOTE



75KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Weight	268.8 lbs
Phases	1
kVA	<u>75</u>
Connection	<u>1PhA-NT-1</u>
Primary Voltage	380
Primary Max Current	114A
Primary Markings	<u>H0-H1</u>
Primary Terminals	300MCM-6
Secondary Voltage	230
Secondary Max Current	<u>188.3A</u>
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	600MCM-2
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	1.0 - 3.0%
Sound (db)	<u>45 dB</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-6</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

75KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------