

#### **OFFICIAL QUOTE**

## 225KVA 110 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER





### 225KVA 110 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER

\$16,138.00 CAD

Three Phase Autotransformer with a capacity of 225kVA, transforming 110Y Volts to 575Y Volts

**SKU:** RA225A2-J1

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Three Phase Autotransformer with a capacity of 225kVA, transforming 110Y Volts to 575Y Volts



### **OFFICIAL QUOTE**





### **PRODUCT SPECIFICATIONS**

Weight	1216 lbs
Phases	<u>3</u>
kVA	225
Connection	<u>3PhA-NT-1</u>
Primary Voltage	110
Primary Max Current	1180.9A
Primary Markings	<u>X1-X2-X3</u>
Primary Terminals	<u>Pads</u>
Secondary Voltage	<u>575</u>
Secondary Max Current	225.9A
Secondary Markings	<u>H1-H2-H3</u>
Secondary Terminals	600MCM-2
Primary Taps	N/A
Conductor Material	Aluminum
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>2.5 – 4.5%</u>
Sound (db)	60
Enclosure Type	NEMA 3R Indoor
Enclosure Size	E3R-9
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



### **OFFICIAL QUOTE**

# 225KVA 110 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------