

OFFICIAL QUOTE

15KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER





15KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$1,153.91 USD


Single Phase Autotransformer with a capacity of 15kVA, transforming 380 Volts to 230 Volts

SKU: MC15F-C1

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 15kVA, transforming 380 Volts to 230 Volts



OFFICIAL QUOTE



15KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

Wainka 01 lb a	
Weight	91 lbs
Phases	1
kVA	<u>15</u>
Connection	<u>1PhA-NT-1</u>
Primary Voltage	380
Primary Max Current	22.8A
Primary Markings	<u>H0-H1</u>
Primary Terminals	Terminal Blocks
Secondary Voltage	230
Secondary Max Current	37.7A
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	#2-14 AWG
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	10kV
Efficiency (@35% Load) %	N/A
Impedance Range	1.0 - 3.0%
Sound (db)	40 dB
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-2</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

15KVA 380 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------