

#### **OFFICIAL QUOTE**

## 300KVA 440 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER





# 300KVA 440 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER

\$8,296.23 USD

Three Phase Autotransformer with a capacity of 300kVA, transforming 440Y Volts to 220Y Volts

**SKU:** RA300H2-C2

**Categories:** Autotransformer

#### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 300kVA, transforming 440Y Volts to 220Y Volts



### **OFFICIAL QUOTE**



## 300KVA 440 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER

### **PRODUCT SPECIFICATIONS**

Weight	973 lbs
Phases	<u>3</u>
kVA	300
Connection	3PhA-NT-1
Primary Voltage	440
Primary Max Current	393.6A
Primary Markings	H1-H2-H3
Primary Terminals	<u>Pads</u>
Secondary Voltage	220
Secondary Max Current	787.3A
Secondary Markings	<u>X1-X2-X3</u>
Secondary Terminals	<u>Pads</u>
Primary Taps	N/A
Conductor Material	Aluminum
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	1.5 - 3.5%
Sound (db)	<u>55</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	E3R-8
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015  Registered



### **OFFICIAL QUOTE**

## 300KVA 440 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------