


### **OFFICIAL QUOTE**

## 3KVA 415 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER





# 3KVA 415 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$574.37 USD

Single Phase Autotransformer with a capacity of 3kVA, transforming 415 Volts to 230 Volts

SKU: MC3G2-C1

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Single Phase Autotransformer with a capacity of 3kVA, transforming 415 Volts to 230 Volts



## **OFFICIAL QUOTE 3KVA 415 VOLTS TO 230 VOLTS** SINGLE PHASE AUTOTRANSFORMER



## **PRODUCT SPECIFICATIONS**

| Weight                     | 56.5 lbs  |
|----------------------------|---|
| Phases                     | 1   |
| kVA                        | 3   |
| Connection                 | <u>1PhA-NT-1</u>  |
| Primary Voltage            | 415   |
| Primary Max Current        | 4.2A  |
| Primary Markings           | <u>H0-H1</u>  |
| Primary Terminals          | Terminal Blocks   |
| Secondary Voltage          | 230   |
| Secondary Max Current      | 7.5A  |
| Secondary Markings         | <u>X0-X1</u>  |
| Secondary Terminals        | Terminal Blocks   |
| Primary Taps               | N/A   |
| Conductor Material         | Copper  |
| Insulation Class           | 180°C (Class F)   |
| BIL (Insulation) Level     | <u>10kV</u>   |
| Efficiency (@35% Load) %   | N/A   |
| Impedance Range            | 1.5 - 3.5%  |
| Sound (db)                 | 40 dB   |
| Enclosure Type             | NEMA 1  |
| Enclosure Size             | <u>E1-0</u>   |
| Finish/Colour              | Polyester Powder Coat - ANSI/ASA 61 Grey  |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015  Registered |



## **OFFICIAL QUOTE**

# 3KVA 415 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|