


OFFICIAL QUOTE

300KVA 380 VOLTS TO 200 VOLTS THREE PHASE AUTOTRANSFORMER





300KVA 380 VOLTS TO 200 VOLTS THREE PHASE AUTOTRANSFORMER


\$12,036.09 USD


Three Phase Autotransformer with a capacity of 300kVA, transforming 380Y Volts to 200Y Volts

SKU: RC300F-B1

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 300kVA, transforming 380Y Volts to 200Y Volts



OFFICIAL QUOTE



300KVA 380 VOLTS TO 200 VOLTS THREE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

| PRODUCT SPECIFICATIONS | |
|----------------------------|--|
| Weight | 1341 lbs |
| Phases | <u>3</u> |
| kVA | 300 |
| Connection | <u>3PhA-NT-1</u> |
| Primary Voltage | 380 |
| Primary Max Current | 455.8A |
| Primary Markings | H1-H2-H3 |
| Primary Terminals | <u>Pads</u> |
| Secondary Voltage | 200 |
| Secondary Max Current | 866A |
| Secondary Markings | <u>X1-X2-X3</u> |
| Secondary Terminals | <u>Pads</u> |
| Primary Taps | N/A |
| Conductor Material | Copper |
| Insulation Class | 220°C (Class H) |
| BIL (Insulation) Level | <u>10kV</u> |
| Efficiency (@35% Load) % | N/A |
| Impedance Range | 1.5 - 3.5% |
| Sound (db) | <u>55</u> |
| Enclosure Type | NEMA 3R Indoor |
| Enclosure Size | <u>E3R-8</u> |
| Finish/Colour | Polyester Powder Coat - ANSI/ASA 61 Grey |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



OFFICIAL QUOTE

300KVA 380 VOLTS TO 200 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|