



## SC5C-J


**\$1,422.00 CAD**

SKU: 3de62e25ca18

Categories: [Isolation Transformers](#)



### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES



### PRODUCT SPECIFICATIONS

<b>Weight</b>	80 lbs
<b>Phases</b>	<a href="#">1</a>
<b>kVA</b>	<a href="#">5</a>
<b>Connection</b>	<a href="#">1Ph-1coil-3T-SU</a>
<b>Primary Voltage</b>	<a href="#">240</a>
<b>Primary Max Current</b>	<a href="#">20.8A</a>
<b>Primary Markings</b>	<a href="#">X1-X2</a>



<b>Primary Terminals</b>	<a href="#">#2-14 AWG</a>
<b>Secondary Voltage</b>	<a href="#">600</a>
<b>Secondary Max Current</b>	<a href="#">8.3A</a>
<b>Secondary Markings</b>	<a href="#">H1-H2</a>
<b>Secondary Terminals</b>	<a href="#">#2-14 AWG</a>
<b>Primary Taps</b>	<a href="#">+/- 1 x 5%</a>
<b>Conductor Material</b>	<a href="#">Copper</a>
<b>Insulation Class</b>	<a href="#">220°C</a>
<b>BIL (Insulation) Level</b>	<a href="#">10kV</a>
<b>Impedance</b>	<a href="#">5.5 – 7.0%</a>
<b>Sound (db)</b>	<a href="#">42</a>
<b>Enclosure Type</b>	<a href="#">NEMA 1</a>
<b>Enclosure</b>	<a href="#">E1-2</a>
<b>Finish</b>	<a href="#">Polyster Powder Coat – ANSI/ASA 61 Grey</a>
<b>Standards &amp; Certifications</b>	<a href="#">CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered</a>
<b>Efficiency</b>	<a href="#">N/A</a>