



**RS350G**

**\$4,602.00 CAD**

SKU: 9916f79c37b6

Categories: [Motor Starters](#)

**SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**



**PRODUCT SPECIFICATIONS**

<b>Weight</b>	350 lbs
<b>Phases</b>	<a href="#">3</a>
<b>HP</b>	<a href="#">350</a>
<b>Connection</b>	<a href="#">3PhA-ST-0-3</a>
<b>Primary Voltage</b>	<a href="#">416</a>
<b>Primary Max Current</b>	<a href="#">485.8A</a>
<b>Primary Markings</b>	<a href="#">H1-H2-H3</a>



<b>Primary Terminals</b>	<a href="#">Pads</a>
<b>Secondary Voltage</b>	<a href="#">50/65/80/100%</a>
<b>Secondary Max Current</b>	<a href="#">4041.5A</a>
<b>Secondary Markings</b>	<a href="#">A-B-C-D</a>
<b>Secondary Terminals</b>	<a href="#">Pads</a>
<b>Primary Taps</b>	<a href="#">N/A</a>
<b>Conductor Material</b>	<a href="#">Copper</a>
<b>Temperatue Rise</b>	<a href="#">150°C</a>
<b>Insuation Class</b>	<a href="#">220°C</a>
<b>BIL (Insulation) Level</b>	<a href="#">10kV</a>
<b>Efficiency</b>	<a href="#">N/A</a>
<b>Impedance</b>	<a href="#">N/A</a>
<b>Sound (db)</b>	<a href="#">N/A</a>
<b>Enclosure Type</b>	<a href="#">Core &amp; Coil</a>
<b>Enclosure</b>	<a href="#">N/A</a>
<b>Finish</b>	<a href="#">N/A</a>
<b>Standards &amp; Certifications</b>	<a href="#">CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered</a>