


OFFICIAL QUOTE

100KVA 460 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER





100KVA 460 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$6,556.00 CAD

Single Phase Autotransformer with a capacity of 100kVA, transforming 460 Volts to 208 Volts

SKU: MC100H1-B Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 100kVA, transforming 460 Volts to 208 Volts



OFFICIAL QUOTE

100KVA 460 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER



PRODUCT SPECIFICATIONS

Weight	452.1 lbs
Phases	1
kVA	100
Connection	<u>1PhA-NT-1</u>
Primary Voltage	<u>460</u>
Primary Max Current	<u>125.5A</u>
Primary Markings	<u>H0-H1</u>
Primary Terminals	<u>300MCM-6</u>
Secondary Voltage	<u>208</u>
Secondary Max Current	<u>277.6A</u>
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	Pads
Primary Taps	N/A
Conductor Material	<u>Copper</u>
Insulation Class	<u>220°C (Class H)</u>
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	<u>N/A</u>
Impedance Range	<u>1.5 – 3.5%</u>
Sound (db)	<u>55 dB</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-7</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	<u>CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015</u> <u>Registered</u>



OFFICIAL QUOTE

100KVA 460 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer

Canada/RPM