



OFFICIAL QUOTE



150KVA 400 VOLTS TO 380 VOLTS  
SINGLE PHASE AUTOTRANSFORMER



150KVA 400 VOLTS TO 380  
VOLTS SINGLE PHASE  
AUTOTRANSFORMER


**\$1,814.30 CAD**

Single Phase Autotransformer with a capacity of 150kVA, transforming 400 Volts to 380 Volts

SKU: MC150G1-F

Categories: [Autotransformers](#)

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES



Single Phase Autotransformer with a capacity of 150kVA, transforming 400 Volts to 380 Volts



## OFFICIAL QUOTE

### 150KVA 400 VOLTS TO 380 VOLTS SINGLE PHASE AUTOTRANSFORMER



#### PRODUCT SPECIFICATIONS

|                                       |  |
|---------------------------------------|--|
| <b>Weight</b>                         | 122.5 lbs  |
| <b>Phases</b>                         | <a href="#">1</a>  |
| <b>kVA</b>                            | <a href="#">150</a>  |
| <b>Connection</b>                     | <a href="#">1PhA-NT-1</a>  |
| <b>Primary Voltage</b>                | <a href="#">400</a>  |
| <b>Primary Max Current</b>            | <a href="#">216.5A</a>   |
| <b>Primary Markings</b>               | <a href="#">H0-H1</a>  |
| <b>Primary Terminals</b>              | <a href="#">600MCM-2</a>   |
| <b>Secondary Voltage</b>              | <a href="#">380</a>  |
| <b>Secondary Max Current</b>          | <a href="#">227.9A</a>   |
| <b>Secondary Markings</b>             | <a href="#">X0-X1</a>  |
| <b>Secondary Terminals</b>            | <a href="#">600MCM-2</a>   |
| <b>Primary Taps</b>                   | <a href="#">N/A</a>  |
| <b>Conductor Material</b>             | <a href="#">Copper</a>   |
| <b>Insulation Class</b>               | <a href="#">220°C (Class H)</a>  |
| <b>BIL (Insulation) Level</b>         | <a href="#">10kV</a>   |
| <b>Efficiency (@35% Load) %</b>       | <a href="#">N/A</a>  |
| <b>Impedance Range</b>                | <a href="#">0.5 – 1.5%</a>   |
| <b>Sound (db)</b>                     | <a href="#">40 dB</a>  |
| <b>Enclosure Type</b>                 | <a href="#">NEMA 1</a>   |
| <b>Enclosure Size</b>                 | <a href="#">E1-2</a>   |
| <b>Finish/Colour</b>                  | <a href="#">Polyester Powder Coat – ANSI/ASA 61 Grey</a>   |
| <b>Standards &amp; Certifications</b> | <a href="#">CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered</a> |



**OFFICIAL QUOTE**

**150KVA 400 VOLTS TO 380 VOLTS  
SINGLE PHASE AUTOTRANSFORMER**



**Country/Manufacturer**

[Canada/RPM](#)