

OFFICIAL QUOTE

200KVA 115 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER





200KVA 115 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$9,622.50 CAD


Single Phase Autotransformer with a capacity of 200kVA, transforming 115 Volts to 208 Volts

SKU: MC200A1-B

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 200kVA, transforming 115 Volts to 208 Volts



OFFICIAL QUOTE

200KVA 115 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER



PRODUCT SPECIFICATIONS

Weight	714.2 lbs
Phases	1
kVA	200
Connection	1PhA-NT-1
Primary Voltage	115
Primary Max Current	1004.1A
Primary Markings	<u>X0-X1</u>
Primary Terminals	<u>Pads</u>
Secondary Voltage	208
Secondary Max Current	<u>555.1A</u>
Secondary Markings	<u>H0-H1</u>
Secondary Terminals	<u>Pads</u>
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>1.5 – 3.5%</u>
Sound (db)	<u>55 dB</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-8S</u>
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

200KVA 115 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------