



# 25KVA 460 VOLTS TO 110 VOLTS SINGLE PHASE AUTOTRANSFORMER


**\$3,177.40 CAD**

Single Phase Autotransformer with a capacity of 25kVA, transforming 460 Volts to 110 Volts

SKU: MC25H1-A2

Categories: [Autotransformers](#)

## SCHEMATIC/DIAGRAM AND DIMENSION PICTURES



Single Phase Autotransformer with a capacity of 25kVA, transforming 460 Volts to 110 Volts



PRODUCT SPECIFICATIONS

|                                       |  |
|---------------------------------------|--|
| <b>Weight</b>                         | 185.9 lbs  |
| <b>Phases</b>                         | <a href="#">1</a>  |
| <b>kVA</b>                            | <a href="#">25</a>   |
| <b>Connection</b>                     | <a href="#">1PhA-NT-1</a>  |
| <b>Primary Voltage</b>                | <a href="#">460</a>  |
| <b>Primary Max Current</b>            | <a href="#">31.4A</a>  |
| <b>Primary Markings</b>               | <a href="#">H0-H1</a>  |
| <b>Primary Terminals</b>              | <a href="#">Terminal Blocks</a>  |
| <b>Secondary Voltage</b>              | <a href="#">110</a>  |
| <b>Secondary Max Current</b>          | <a href="#">131.2A</a>   |
| <b>Secondary Markings</b>             | <a href="#">X0-X1</a>  |
| <b>Secondary Terminals</b>            | <a href="#">300MCM-6</a>   |
| <b>Primary Taps</b>                   | <a href="#">N/A</a>  |
| <b>Conductor Material</b>             | <a href="#">Copper</a>   |
| <b>Insulation Class</b>               | <a href="#">220°C (Class H)</a>  |
| <b>BIL (Insulation) Level</b>         | <a href="#">10kV</a>   |
| <b>Efficiency (@35% Load) %</b>       | <a href="#">N/A</a>  |
| <b>Impedance Range</b>                | <a href="#">2.5 – 4.5%</a>   |
| <b>Sound (db)</b>                     | <a href="#">45 dB</a>  |
| <b>Enclosure Type</b>                 | <a href="#">NEMA 3R Indoor</a>   |
| <b>Enclosure Size</b>                 | <a href="#">E3R-4</a>  |
| <b>Finish/Colour</b>                  | <a href="#">Polyester Powder Coat – ANSI/ASA 61 Grey</a>   |
| <b>Standards &amp; Certifications</b> | <a href="#">CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered</a> |



OFFICIAL QUOTE

25KVA 460 VOLTS TO 110 VOLTS  
SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer

[Canada/RPM](#)