


#### **OFFICIAL QUOTE**

## 30KVA 115 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER





### 30KVA 115 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER

\$3,750.40 CAD


Three Phase Autotransformer with a capacity of 30kVA, transforming 115Y Volts to 575Y Volts

**SKU:** RC30A1-J1

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Three Phase Autotransformer with a capacity of 30kVA, transforming 115Y Volts to 575Y Volts



### **OFFICIAL QUOTE**





### **PRODUCT SPECIFICATIONS**

	l and II
Weight	209 lbs
Phases	3
kVA	30
Connection	3PhA-NT-1
Primary Voltage	<u>115</u>
Primary Max Current	150.6A
Primary Markings	<u>X1-X2-X3</u>
Primary Terminals	300MCM-6
Secondary Voltage	<u>575</u>
Secondary Max Current	<u>30.1A</u>
Secondary Markings	<u>H1-H2-H3</u>
Secondary Terminals	Terminal Blocks
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>2.5 – 4.5%</u>
Sound (db)	45
Enclosure Type	NEMA 3R Indoor
Enclosure Size	E3R-6
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



### **OFFICIAL QUOTE**

# 30KVA 115 VOLTS TO 575 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------