


OFFICIAL QUOTE

37.5KVA 277 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER





37.5KVA 277 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$1,646.00 CAD


Single Phase Autotransformer with a capacity of 37.5kVA, transforming 277 Volts to 230 Volts

SKU: MC37D-C1

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 37.5kVA, transforming 277 Volts to 230 Volts



OFFICIAL QUOTE



37.5KVA 277 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Weight	97.5 lbs
Phases	1
kVA	<u>37.5</u>
Connection	1PhA-NT-1
Primary Voltage	277
Primary Max Current	78.2A
Primary Markings	<u>H0-H1</u>
Primary Terminals	#2/0-6 AWG
Secondary Voltage	230
Secondary Max Current	94.1A
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	#2/0-6 AWG
Primary Taps	N/A
Conductor Material	<u>Copper</u>
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>0.5 – 1.5%</u>
Sound (db)	40 dB
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-2</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

37.5KVA 277 VOLTS TO 230 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------