


OFFICIAL QUOTE

37.5KVA 575 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER





37.5KVA 575 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$3,549.40 CAD


Single Phase Autotransformer with a capacity of 37.5kVA, transforming 575 Volts to 208 Volts

SKU: MC37J1-B

Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 37.5kVA, transforming 575 Volts to 208 Volts



OFFICIAL QUOTE



37.5KVA 575 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Weight	222.8 lbs
Phases	1
kVA	<u>37.5</u>
Connection	<u>1PhA-NT-1</u>
Primary Voltage	<u>575</u>
Primary Max Current	37.7A
Primary Markings	<u>H0-H1</u>
Primary Terminals	#2-14 AWG
Secondary Voltage	208
Secondary Max Current	<u>104.1A</u>
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	#2/0-6 AWG
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>2.5 - 4.5%</u>
Sound (db)	<u>45 dB</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-6</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

37.5KVA 575 VOLTS TO 208 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------