


#### **OFFICIAL QUOTE**

### 50KVA 550 VOLTS TO 200 VOLTS SINGLE PHASE AUTOTRANSFORMER





### 50KVA 550 VOLTS TO 200 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$4,419.10 CAD


Single Phase Autotransformer with a capacity of 50kVA, transforming 550 Volts to 200 Volts

**SKU:** MC50J2-B1

**Categories:** <u>Autotransformer</u>

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Single Phase Autotransformer with a capacity of 50kVA, transforming 550 Volts to 200 Volts



### **OFFICIAL QUOTE**



## 50KVA 550 VOLTS TO 200 VOLTS SINGLE PHASE AUTOTRANSFORMER

#### PRODUCT SPECIFICATIONS

| PRODUCT SPECIFICATIONS     |  |
|----------------------------|--|
| Weight                     | 280.9 lbs  |
| Phases                     | 1  |
| kVA                        | <u>50</u>  |
| Connection                 | <u>1PhA-NT-1</u>   |
| Primary Voltage            | <u>550</u>   |
| Primary Max Current        | <u>52.5A</u>   |
| Primary Markings           | <u>H0-H1</u>   |
| Primary Terminals          | #2-14 AWG  |
| Secondary Voltage          | 200  |
| Secondary Max Current      | <u>144.3A</u>  |
| Secondary Markings         | <u>X0-X1</u>   |
| Secondary Terminals        | 300MCM-6   |
| Primary Taps               | N/A  |
| Conductor Material         | Copper   |
| Insulation Class           | 220°C (Class H)  |
| BIL (Insulation) Level     | <u>10kV</u>  |
| Efficiency (@35% Load) %   | N/A  |
| Impedance Range            | <u>2.5 – 4.5%</u>  |
| Sound (db)                 | 45 dB  |
| Enclosure Type             | NEMA 3R Indoor   |
| Enclosure Size             | <u>E3R-6</u>   |
| Finish/Colour              | Polyester Powder Coat - ANSI/ASA 61 Grey   |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



### **OFFICIAL QUOTE**

# 50KVA 550 VOLTS TO 200 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | <u>Canada/RPM</u> |
|----------------------|-------------------|
|----------------------|-------------------|