


#### **OFFICIAL QUOTE**

## 6KVA 220 VOLTS TO 120 VOLTS THREE PHASE AUTOTRANSFORMER





### 6KVA 220 VOLTS TO 120 VOLTS THREE PHASE AUTOTRANSFORMER

\$1,174.96 USD

Three Phase Autotransformer with a capacity of 6kVA, transforming 220Y Volts to 120Y Volts

SKU: RC6C2-A

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Three Phase Autotransformer with a capacity of 6kVA, transforming 220Y Volts to 120Y Volts



#### **OFFICIAL QUOTE**

# 6KVA 220 VOLTS TO 120 VOLTS THREE PHASE AUTOTRANSFORMER



#### **PRODUCT SPECIFICATIONS**

| Weight                     | 20 lbs  |
|----------------------------|---|
| Phases                     | <u>3</u>  |
| kVA                        | <u>6</u>  |
| Connection                 | <u>3PhA-NT-1</u>  |
| Primary Voltage            | 220   |
| Primary Max Current        | <u>15.7A</u>  |
| Primary Markings           | <u>H1-H2-H3</u>   |
| Primary Terminals          | Terminal Blocks   |
| Secondary Voltage          | 120   |
| Secondary Max Current      | 28.9A   |
| Secondary Markings         | <u>X1-X2-X3</u>   |
| Secondary Terminals        | Terminal Blocks   |
| Primary Taps               | N/A   |
| Conductor Material         | Copper  |
| Insulation Class           | 180°C (Class F)   |
| BIL (Insulation) Level     | <u>10kV</u>   |
| Efficiency (@35% Load) %   | N/A   |
| Impedance Range            | 1.5 - 3.5%  |
| Sound (db)                 | 40  |
| Enclosure Type             | NEMA 1  |
| Enclosure Size             | <u>E1-1</u>   |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey  |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015  Registered |



#### **OFFICIAL QUOTE**

## 6KVA 220 VOLTS TO 120 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|