


### **OFFICIAL QUOTE**

# 6KVA 480 VOLTS TO 115 VOLTS THREE PHASE AUTOTRANSFORMER





## 6KVA 480 VOLTS TO 115 VOLTS THREE PHASE AUTOTRANSFORMER


\$1,734.50 CAD


Three Phase Autotransformer with a capacity of 6kVA, transforming 480Y Volts to 115Y Volts

SKU: RC6H-A1

**Categories:** <u>Autotransformer</u>

### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Three Phase Autotransformer with a capacity of 6kVA, transforming 480Y Volts to 115Y Volts



## **OFFICIAL QUOTE 6KVA 480 VOLTS TO 115 VOLTS** THREE PHASE AUTOTRANSFORMER



## **PRODUCT SPECIFICATIONS**

| Weight                     | 31 lbs   |
|----------------------------|--|
| Phases                     | <u>3</u>   |
| kVA                        | <u>6</u>   |
| Connection                 | <u>3PhA-NT-1</u>   |
| Primary Voltage            | 480  |
| Primary Max Current        | 7.2A   |
| Primary Markings           | H1-H2-H3   |
| Primary Terminals          | Terminal Blocks  |
| Secondary Voltage          | 115  |
| Secondary Max Current      | 30.1A  |
| Secondary Markings         | <u>X1-X2-X3</u>  |
| Secondary Terminals        | Terminal Blocks  |
| Primary Taps               | N/A  |
| Conductor Material         | <u>Copper</u>  |
| Insulation Class           | 220°C (Class H)  |
| BIL (Insulation) Level     | <u>10kV</u>  |
| Efficiency (@35% Load) %   | N/A  |
| Impedance Range            | <u>2.5 – 4.5%</u>  |
| Sound (db)                 | 40   |
| Enclosure Type             | NEMA 1   |
| Enclosure Size             | <u>E1-3</u>  |
| Finish/Colour              | Polyester Powder Coat - ANSI/ASA 61 Grey   |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



## **OFFICIAL QUOTE**

# 6KVA 480 VOLTS TO 115 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|