


#### **OFFICIAL QUOTE**

### 9KVA 600 VOLTS TO 115 VOLTS THREE PHASE AUTOTRANSFORMER





## 9KVA 600 VOLTS TO 115 VOLTS THREE PHASE AUTOTRANSFORMER

\$2,310.90 CAD

Three Phase Autotransformer with a capacity of 9kVA, transforming 600Y Volts to 115Y Volts

SKU: RC9J-A1

**Categories:** <u>Autotransformer</u>

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**






Three Phase Autotransformer with a capacity of 9kVA, transforming 600Y Volts to 115Y Volts



#### **OFFICIAL QUOTE**





#### **PRODUCT SPECIFICATIONS**

| PRODUCT SPECIFICATIONS     |  |
|----------------------------|--|
| Weight                     | 53 lbs   |
| Phases                     | <u>3</u>   |
| kVA                        | 9  |
| Connection                 | 3PhA-NT-1  |
| Primary Voltage            | 600  |
| Primary Max Current        | 8.7A   |
| Primary Markings           | <u>H1-H2-H3</u>  |
| Primary Terminals          | Terminal Blocks  |
| Secondary Voltage          | 115  |
| Secondary Max Current      | 45.2A  |
| Secondary Markings         | <u>X1-X2-X3</u>  |
| Secondary Terminals        | #2-14 AWG  |
| Primary Taps               | N/A  |
| Conductor Material         | Copper   |
| Insulation Class           | 220°C (Class H)  |
| BIL (Insulation) Level     | <u>10kV</u>  |
| Efficiency (@35% Load) %   | N/A  |
| Impedance Range            | 2.5 - 4.5%   |
| Sound (db)                 | 40   |
| Enclosure Type             | NEMA 1   |
| Enclosure Size             | <u>E1-3</u>  |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey   |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



#### **OFFICIAL QUOTE**

# 9KVA 600 VOLTS TO 115 VOLTS THREE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM  |
|----------------------|-------------|
| Country/Manufacturer | Canada/Kr M |