
## **OFFICIAL QUOTE**

#### BC150J1-M/EP






# **BC150J1-M/EP**


\$27,063.00 CAD

**SKU:** bf92ef839fe2

**Categories:** Encapsulated Isolation Transformer

## SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





## **PRODUCT SPECIFICATIONS**

| Weight              | 2020 lbs       |
|---------------------|----------------|
| Phases              | 3              |
| kVA                 | 150            |
| Connection          | 3Ph-DY-5T-SD   |
| Primary Voltage     | <u>575</u>     |
| Primary Max Current | 28.9A          |
| Primary Markings    | <u>H1-H2-3</u> |



# OFFICIAL QUOTE

#### BC150J1-M/EP



| Primary Terminals          | <u>300MCM-6</u>                                                                      |
|----------------------------|--------------------------------------------------------------------------------------|
| Secondary Voltage          | <u>208Y/120</u>                                                                      |
| Secondary Max Current      | 416.4A                                                                               |
| Secondary Markings         | <u>X0-X1-X2-X3</u>                                                                   |
| Secondary Terminals        | <u>Pads</u>                                                                          |
| Primary Taps               | <u>+/- 2 x 2.5%</u>                                                                  |
| Conductor Material         | <u>Copper</u>                                                                        |
| Temperatue Rise            | 130°C                                                                                |
| Insuation Class            | 200°C                                                                                |
| BIL (Insulation) Level     | <u>10kV</u>                                                                          |
| Efficiency                 | N/A                                                                                  |
| Impedance                  | <u>1.5 - 3.5%</u>                                                                    |
| Sound (db)                 | <u>50</u>                                                                            |
| Enclosure Type             | NEMA 3R Indoor                                                                       |
| Enclosure                  | E3R-3PEP-9                                                                           |
| Finish                     | Polyster Powder Coat – ANSI/ASA 61 Grey                                              |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |