

#### **OFFICIAL QUOTE**

## 200VA 600 VOLTS TO 12/24 VOLTS SINGLE PHASE CONTROL TRANSFORMER





# 200VA 600 VOLTS TO 12/24 VOLTS SINGLE PHASE CONTROL TRANSFORMER


\$127.55 USD


Single Phase Control Transformer with a capacity of 200VA, transforming 600 Volts to 12/24 Volts

SKU: CS200H-Z

**Categories:** Control Transformers

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Single Phase Control Transformer with a capacity of 200VA, transforming 600 Volts to 12/24 Volts



### **OFFICIAL QUOTE**



## 200VA 600 VOLTS TO 12/24 VOLTS SINGLE PHASE CONTROL TRANSFORMER

### **PRODUCT SPECIFICATIONS**

| Weight                     | 8 lbs  |
|----------------------------|--|
| Phases                     | 1  |
| Connection                 | 1Ph-CT-SD-SD   |
| Primary Voltage            | 600  |
| Primary Max Current        | <u>0.33A</u>   |
| Primary Markings           | H1-H2  |
| Primary Terminals          | <u>Terminals</u>   |
| Secondary Voltage          | 12/24  |
| Secondary Max Current      | 16.67A   |
| Secondary Markings         | <u>X1-X2-X3-X4</u>   |
| Secondary Terminals        | Terminals  |
| Primary Taps               | N/A  |
| Conductor Material         | Copper   |
| Temperatue Rise            | 80°C   |
| Insuation Class            | 130°C (Class B)  |
| BIL (Insulation) Level     | <u>10kV</u>  |
| Efficiency (@35% Load) %   | N/A  |
| Impedance Range            | <u>5.0 - 7.0%</u>  |
| Sound (db)                 | 40   |
| Enclosure Type             | Core & Coil  |
| Enclosure Size             | See Core & Coil Chart  |
| Finish/Colour              | N/A  |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E110286, ISO 9001:2015 Registered |



### **OFFICIAL QUOTE**



## 200VA 600 VOLTS TO 12/24 VOLTS SINGLE PHASE CONTROL TRANSFORMER

| VA                   | 200        |
|----------------------|------------|
| Country/Manufacturer | Canada/RPM |