


OFFICIAL QUOTE

3KVA 220 VOLTS TO 380Y/220 VOLTS THREE PHASE ISOLATION TRANSFORMER





3KVA 220 VOLTS TO 380Y/220 VOLTS THREE PHASE ISOLATION TRANSFORMER


\$1,683.50 CAD

Three Phase Isolation Transformer with a capacity of 3kVA, transforming 220 Volts to 380Y/220 Volts

SKU: BC3C2-R

Categories: <u>Isolation Transformers</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Isolation Transformer with a capacity of 3kVA, transforming 220 Volts to 380Y/220 Volts



OFFICIAL QUOTE



3KVA 220 VOLTS TO 380Y/220 VOLTS THREE PHASE ISOLATION TRANSFORMER

PRODUCT SPECIFICATIONS

| PRODUCT SPECIFICATIONS | | |
|----------------------------|--|--|
| Weight | 73 lbs | |
| Phases | 3 | |
| kVA | 3 | |
| Connection | 3Ph-DY-3T-SU | |
| Primary Voltage | 220 | |
| Primary Max Current | 7.87A | |
| Primary Markings | <u>X1-X2-X3</u> | |
| Primary Terminals | #2-14 AWG | |
| Secondary Voltage | 380Y/220 | |
| Secondary Max Current | 4.56A | |
| Secondary Markings | <u>H0-H1-H2-H3</u> | |
| Secondary Terminals | #2-14 AWG | |
| Primary Taps | +/- 1 x 5% | |
| Conductor Material | Copper | |
| BIL (Insulation) Level | <u>10kV</u> | |
| Efficiency (@35% Load) % | N/A | |
| Impedance Range | <u>5.0 - 7.0%</u> | |
| Sound (db) | 40 | |
| Enclosure Type | NEMA 1 | |
| Enclosure Size | <u>E1-3</u> | |
| Finish/Colour | Polyester Powder Coat - ANSI/ASA 61 Grey | |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered | |
| Temperatue Rise | 115°C | |



OFFICIAL QUOTE



3KVA 220 VOLTS TO 380Y/220 VOLTS THREE PHASE ISOLATION TRANSFORMER

| Insuation Class | 115°C |
|----------------------|--|
| Country/Manufacturer | Canada/RPM |
| Finish/Colour | Polyester Powder Coat - ANSI/ASA 61 Grey |