



OFFICIAL QUOTE

60HP 480 VOLTS THREE PHASE  
MOTOR STARTER



**60HP 480 VOLTS THREE  
PHASE MOTOR STARTER**


**\$1,380.00 CAD**

Three Phase Motor Starter with a capacity of  
60HP, suitable for 480 Volt Systems

SKU: RS60H

Categories: [Motor Starting Autotransformers](#)

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES



Three Phase Motor Starter with a capacity of 60HP, suitable for 480 Volt Systems



## OFFICIAL QUOTE

### 60HP 480 VOLTS THREE PHASE MOTOR STARTER



#### PRODUCT SPECIFICATIONS

|                                       |  |
|---------------------------------------|--|
| <b>Weight</b>                         | 110 lbs  |
| <b>Phases</b>                         | <a href="#">3</a>  |
| <b>Connection</b>                     | <a href="#">3PhA-ST-0-3</a>  |
| <b>Primary Voltage</b>                | <a href="#">480</a>  |
| <b>Primary Max Current</b>            | <a href="#">N/A</a>  |
| <b>Primary Markings</b>               | <a href="#">H1-H2-H3</a>   |
| <b>Primary Terminals</b>              | <a href="#">Pads</a>   |
| <b>Secondary Voltage</b>              | <a href="#">50/65/80/100%</a>  |
| <b>Secondary Max Current</b>          | <a href="#">N/A</a>  |
| <b>Secondary Markings</b>             | <a href="#">A-B-C-D</a>  |
| <b>Secondary Terminals</b>            | <a href="#">Pads</a>   |
| <b>Primary Taps</b>                   | <a href="#">N/A</a>  |
| <b>Conductor Material</b>             | <a href="#">Copper</a>   |
| <b>Temperature Rise</b>               | <a href="#">150°C</a>  |
| <b>Insulation Class</b>               | <a href="#">220°C (Class H)</a>  |
| <b>BIL (Insulation) Level</b>         | <a href="#">10kV</a>   |
| <b>Efficiency (@35% Load) %</b>       | <a href="#">N/A</a>  |
| <b>Impedance Range</b>                | <a href="#">N/A</a>  |
| <b>Sound (db)</b>                     | <a href="#">N/A</a>  |
| <b>Enclosure Type</b>                 | <a href="#">Core &amp; Coil</a>  |
| <b>Enclosure Size</b>                 | <a href="#">N/A (Core &amp; Coil)</a>  |
| <b>Finish/Colour</b>                  | <a href="#">N/A</a>  |
| <b>Standards &amp; Certifications</b> | <a href="#">CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered</a> |



OFFICIAL QUOTE

60HP 480 VOLTS THREE PHASE  
MOTOR STARTER



|                      |                            |
|----------------------|----------------------------|
| HP                   | <a href="#">60</a>         |
| Country/Manufacturer | <a href="#">Canada/RPM</a> |