




# MP1A30J-K

**\$11,151.00 CAD**

SKU: 682aab7669bb

Categories: [Mini Power Centers](#)

## SCHEMATIC/DIAGRAM AND DIMENSION PICTURES



| Ref          | A  | B    | C    | D    | E    | F | G    | H     |
|--------------|----|------|------|------|------|---|------|-------|
| Dim (Inches) | 18 | 14.5 | 59.5 | 23.6 | 35.9 | 8 | 26.5 | 20.13 |





**PRODUCT SPECIFICATIONS**

|                                       |  |
|---------------------------------------|--|
| <b>Weight</b>                         | 780 lbs  |
| <b>Phases</b>                         | <a href="#">1</a>  |
| <b>Circuit Breaker Suitability</b>    | <a href="#">Eaton Type BR</a>  |
| <b>kVA</b>                            | <a href="#">30</a>   |
| <b>Connection</b>                     | <a href="#">MPC1P-5t</a>   |
| <b>Incoming Voltage</b>               | <a href="#">600</a>  |
| <b>Primary Breaker</b>                | <a href="#">100A</a>   |
| <b>Interrupting Rating</b>            | <a href="#">14kAIC @ 600V</a>  |
| <b>Output Voltage</b>                 | <a href="#">120/240</a>  |
| <b>Secondary Breaker</b>              | <a href="#">150A</a>   |
| <b>Short Circuit Withstand</b>        | <a href="#">25kAIC @ 240V</a>  |
| <b>Primary Taps</b>                   | <a href="#">+/- 2 x 2.5%</a>   |
| <b>Conductor Material</b>             | <a href="#">Aluminum</a>   |
| <b>Insuation Class</b>                | <a href="#">200°C</a>  |
| <b>Panel Board</b>                    | <a href="#">Push-On</a>  |
| <b>Load Center Bus Material</b>       | <a href="#">Aluminum</a>   |
| <b># of Circuits</b>                  | <a href="#">30</a>   |
| <b>Impedance</b>                      | <a href="#">1.5 – 3.0%</a>   |
| <b>Temperatue Rise</b>                | <a href="#">130°C</a>  |
| <b>Enclosure</b>                      | <a href="#">E3R-1PMPC-3</a>  |
| <b>Enclosure Type</b>                 | <a href="#">E3R Outdoor</a>  |
| <b>Finish</b>                         | <a href="#">Polyster Powder Coat – ANSI/ASA 61 Grey</a>  |
| <b>Standards &amp; Certifications</b> | <a href="#">CSA Certified File No. LR34493, UL Listed File No. E495724, ISO 9001:2015 Registered</a> |

