



MC5H-C \$629.68 USD

SKU: 90ac87bfdcb2 Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





PRODUCT SPECIFICATIONS

| Weight | 45 lbs |
|---------------------|------------------|
| Phases | 1 |
| kVA | <u>5</u> |
| Connection | <u>1PhA-NT-1</u> |
| Primary Voltage | <u>480</u> |
| Primary Max Current | <u>10.4A</u> |
| Primary Markings | <u>H0-H1</u> |
| Primary Terminals | Terminal Blocks |
| Secondary Voltage | 240 |

The quote is valid 30 days from 4 May 2025. The price does not include: "Special Features", freight and possible taxes. Disclosing this information to the third party or other supplier may lead to the cancellation of this quote. All other requests please email to sales@transformersource.ca. Printed: September-16-2024.



MC5H-C



| Secondary Max Current | <u>20.8A</u> |
|----------------------------|---|
| Secondary Markings | <u>X0-X1</u> |
| Secondary Terminals | Terminal Blocks |
| Primary Taps | <u>N/A</u> |
| Conductor Material | <u>Copper</u> |
| Insuation Class | <u>180°C</u> |
| BIL (Insulation) Level | <u>10kV</u> |
| Efficiency | <u>N/A</u> |
| Impedance | <u>2.5 – 4.5%</u> |
| Sound (db) | <u>50</u> |
| Enclosure Type | NEMA 1 |
| Enclosure | <u>E1-1</u> |
| Finish | Polyster Powder Coat – ANSI/ASA 61 Grey |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |