

OFFICIAL QUOTE

10KVA 230 VOLTS TO 575 VOLTS SINGLE PHASE AUTOTRANSFORMER





10KVA 230 VOLTS TO 575 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$1,172.68 USD


Single Phase Autotransformer with a capacity of 10kVA, transforming 230 Volts to 575 Volts

SKU: MC10C1-J1

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 10kVA, transforming 230 Volts to 575 Volts



OFFICIAL QUOTE



10KVA 230 VOLTS TO 575 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

| PRODUCT SPECIFICATIONS | |
|----------------------------|--|
| Weight | 90.8 lbs |
| Phases | 1 |
| kVA | 10 |
| Connection | <u>1PhA-NT-1</u> |
| Primary Voltage | 230 |
| Primary Max Current | 25.1A |
| Primary Markings | <u>X0-X1</u> |
| Primary Terminals | Terminal Blocks |
| Secondary Voltage | <u>575</u> |
| Secondary Max Current | 10A |
| Secondary Markings | <u>H0-H1</u> |
| Secondary Terminals | <u>Terminal Blocks</u> |
| Primary Taps | N/A |
| Conductor Material | Copper |
| Insulation Class | 220°C (Class H) |
| BIL (Insulation) Level | <u>10kV</u> |
| Efficiency (@35% Load) % | N/A |
| Impedance Range | <u>1.5 – 3.5%</u> |
| Sound (db) | 40 dB |
| Enclosure Type | NEMA 1 |
| Enclosure Size | <u>E1-2</u> |
| Finish/Colour | Polyester Powder Coat - ANSI/ASA 61 Grey |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



OFFICIAL QUOTE

10KVA 230 VOLTS TO 575 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | <u>Canada/RPM</u> |
|----------------------|-------------------|
|----------------------|-------------------|