


#### **OFFICIAL QUOTE**

## 10KVA 208 VOLTS TO 400 VOLTS SINGLE PHASE AUTOTRANSFORMER





# 10KVA 208 VOLTS TO 400 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$1,414.80 CAD

Single Phase Autotransformer with a capacity of 10kVA, transforming 208 Volts to 400 Volts

SKU: MC10B-G1

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Single Phase Autotransformer with a capacity of 10kVA, transforming 208 Volts to 400 Volts



### **OFFICIAL QUOTE**



## 10KVA 208 VOLTS TO 400 VOLTS SINGLE PHASE AUTOTRANSFORMER

#### PRODUCT SPECIFICATIONS

| PRODUCT SPECIFICATIONS     |                                                                                      |
|----------------------------|--------------------------------------------------------------------------------------|
| Weight                     | 82.2 lbs                                                                             |
| Phases                     | 1                                                                                    |
| kVA                        | <u>10</u>                                                                            |
| Connection                 | 1PhA-NT-1                                                                            |
| Primary Voltage            | 208                                                                                  |
| Primary Max Current        | 27.8A                                                                                |
| Primary Markings           | <u>X0-X1</u>                                                                         |
| Primary Terminals          | Terminal Blocks                                                                      |
| Secondary Voltage          | 400                                                                                  |
| Secondary Max Current      | 14.4A                                                                                |
| Secondary Markings         | <u>H0-H1</u>                                                                         |
| Secondary Terminals        | Terminal Blocks                                                                      |
| Primary Taps               | N/A                                                                                  |
| Conductor Material         | Copper                                                                               |
| Insulation Class           | 220°C (Class H)                                                                      |
| BIL (Insulation) Level     | <u>10kV</u>                                                                          |
| Efficiency (@35% Load) %   | N/A                                                                                  |
| Impedance Range            | <u>1.5 – 3.5%</u>                                                                    |
| Sound (db)                 | 40 dB                                                                                |
| Enclosure Type             | NEMA 1                                                                               |
| Enclosure Size             | <u>E1-2</u>                                                                          |
| Finish/Colour              | Polyester Powder Coat - ANSI/ASA 61 Grey                                             |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



### **OFFICIAL QUOTE**

## 10KVA 208 VOLTS TO 400 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | <u>Canada/RPM</u> |
|----------------------|-------------------|
|----------------------|-------------------|