


OFFICIAL QUOTE

200KVA 230 VOLTS TO 347 VOLTS SINGLE PHASE AUTOTRANSFORMER





200KVA 230 VOLTS TO 347 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$7,836.40 CAD

Single Phase Autotransformer with a capacity of 200kVA, transforming 230 Volts to 347 Volts

SKU: MC200C1-E Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 200kVA, transforming 230 Volts to 347 Volts



OFFICIAL QUOTE

200KVA 230 VOLTS TO 347 VOLTS SINGLE PHASE AUTOTRANSFORMER



PRODUCT SPECIFICATIONS

Weight	557.4 lbs
Phases	1
kVA	200
Connection	<u>1PhA-NT-1</u>
Primary Voltage	<u>230</u>
Primary Max Current	<u>502A</u>
Primary Markings	<u>X0-X1</u>
Primary Terminals	Pads
Secondary Voltage	347
Secondary Max Current	<u>332.8A</u>
Secondary Markings	<u>H0-H1</u>
Secondary Terminals	Pads
Primary Taps	N/A
Conductor Material	<u>Copper</u>
Insulation Class	<u>220°C (Class H)</u>
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	<u>N/A</u>
Impedance Range	<u>1.0 – 3.0%</u>
Sound (db)	<u>55 dB</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-7</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered

The quote is valid 30 days from 14 June 2025. The price does not include: "Special Features", freight and possible taxes. Disclosing this information to the third party or other supplier may lead to the cancellation of this quote. All other requests please email to sales@transformersource.ca. Printed: September-16-2024.



OFFICIAL QUOTE

200KVA 230 VOLTS TO 347 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer

Canada/RPM