


OFFICIAL QUOTE

7.5KVA 347 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER





7.5KVA 347 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$1,446.50 CAD

Single Phase Autotransformer with a capacity of 7.5kVA, transforming 347 Volts to 115 Volts

SKU: MC7E-A1

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 7.5kVA, transforming 347 Volts to 115 Volts



OFFICIAL QUOTE



7.5KVA 347 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Weight	83.4 lbs
Phases	1
kVA	7.5
Connection	1PhA-NT-1
Primary Voltage	347
Primary Max Current	12.5A
Primary Markings	<u>H0-H1</u>
Primary Terminals	Terminal Blocks
Secondary Voltage	115
Secondary Max Current	37.7A
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	#2-14 AWG
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	10kV
Efficiency (@35% Load) %	N/A
Impedance Range	<u>2.5 – 4.5%</u>
Sound (db)	40 dB
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-2</u>
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

7.5KVA 347 VOLTS TO 115 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------