


**OFFICIAL QUOTE** 

# 15KVA 208 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER





# 15KVA 208 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER

# \$992.00 CAD

Three Phase Autotransformer with a capacity of 15kVA, transforming 208Y Volts to 220Y Volts

SKU: RC15B-C2 Categories: <u>Autotransformer</u>

## SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 15kVA, transforming 208Y Volts to 220Y Volts



**OFFICIAL QUOTE** 

### 15KVA 208 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER



#### **PRODUCT SPECIFICATIONS**

Weight	20 lbs
Phases	<u>3</u>
kVA	<u>15</u>
Connection	<u>3PhA-NT-1</u>
Primary Voltage	<u>208</u>
Primary Max Current	<u>41.6A</u>
Primary Markings	<u>X1-X2-X3</u>
Primary Terminals	<u>#2-14 AWG</u>
Secondary Voltage	220
Secondary Max Current	<u>39.4A</u>
Secondary Markings	<u>H1-H2-H3</u>
Secondary Terminals	<u>#2-14 AWG</u>
Primary Taps	N/A
Conductor Material	<u>Copper</u>
Insulation Class	<u>180°C (Class F)</u>
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>0.5 – 1.5%</u>
Sound (db)	<u>40</u>
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-1</u>
Finish/Colour	Polyester Powder Coat – ANSI/ASA 61 Grey
Standards & Certifications	<u>CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015</u> <u>Registered</u>



**OFFICIAL QUOTE** 

#### 15KVA 208 VOLTS TO 220 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer

Canada/RPM