


OFFICIAL QUOTE

37.5KVA 230 VOLTS TO 480 VOLTS SINGLE PHASE AUTOTRANSFORMER





37.5KVA 230 VOLTS TO 480 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$2,387.05 USD


Single Phase Autotransformer with a capacity of 37.5kVA, transforming 230 Volts to 480 Volts

SKU: MC37C1-H

Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 37.5kVA, transforming 230 Volts to 480 Volts



OFFICIAL QUOTE



37.5KVA 230 VOLTS TO 480 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

Weight	191.4 lbs
Phases	1
kVA	<u>37.5</u>
Connection	1PhA-NT-1
Primary Voltage	230
Primary Max Current	94.1A
Primary Markings	<u>X0-X1</u>
Primary Terminals	#2/0-6 AWG
Secondary Voltage	480
Secondary Max Current	45.1A
Secondary Markings	<u>H0-H1</u>
Secondary Terminals	#2-14 AWG
Primary Taps	N/A
Conductor Material	<u>Copper</u>
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>1.5 - 3.5%</u>
Sound (db)	45 dB
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-4</u>
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

37.5KVA 230 VOLTS TO 480 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------