

#### **OFFICIAL QUOTE**

## 200KVA 550 VOLTS TO 220 VOLTS SINGLE PHASE AUTOTRANSFORMER





# 200KVA 550 VOLTS TO 220 VOLTS SINGLE PHASE AUTOTRANSFORMER

\$9,223.18 USD


Single Phase Autotransformer with a capacity of 200kVA, transforming 550 Volts to 220 Volts

**SKU:** MC200J2-C2

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**






Single Phase Autotransformer with a capacity of 200kVA, transforming 550 Volts to 220 Volts



## **OFFICIAL QUOTE**





## **PRODUCT SPECIFICATIONS**

| Weight                     | 932.2 lbs  |
|----------------------------|--|
| Phases                     | 1  |
| kVA                        | 200  |
| Connection                 | 1PhA-NT-1  |
| Primary Voltage            | <u>550</u>   |
| Primary Max Current        | 209.9A   |
| Primary Markings           | <u>H0-H1</u>   |
| Primary Terminals          | 600MCM-2   |
| Secondary Voltage          | 220  |
| Secondary Max Current      | 524.9A   |
| Secondary Markings         | <u>X0-X1</u>   |
| Secondary Terminals        | <u>Pads</u>  |
| Primary Taps               | N/A  |
| Conductor Material         | Copper   |
| Insulation Class           | 220°C (Class H)  |
| BIL (Insulation) Level     | <u>10kV</u>  |
| Efficiency (@35% Load) %   | N/A  |
| Impedance Range            | 1.5 - 3.5%   |
| Sound (db)                 | <u>55 dB</u>   |
| Enclosure Type             | NEMA 3R Indoor   |
| Enclosure Size             | <u>E3R-8S</u>  |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey   |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



## **OFFICIAL QUOTE**

# 200KVA 550 VOLTS TO 220 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|