


#### **OFFICIAL QUOTE**

## 450KVA 380 VOLTS TO 480 VOLTS THREE PHASE AUTOTRANSFORMER





# 450KVA 380 VOLTS TO 480 VOLTS THREE PHASE AUTOTRANSFORMER


\$11,550.00 CAD


Three Phase Autotransformer with a capacity of 450kVA, transforming 380Y Volts to 480Y Volts

SKU: RC450F-H

**Categories:** Autotransformer

#### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 450kVA, transforming 380Y Volts to 480Y Volts



### **OFFICIAL QUOTE**

## 450KVA 380 VOLTS TO 480 VOLTS THREE PHASE AUTOTRANSFORMER



### **PRODUCT SPECIFICATIONS**

PRODUCT SPECIFICATIONS	
Weight	832 lbs
Phases	3
kVA	<u>450</u>
Connection	3PhA-NT-1
Primary Voltage	380
Primary Max Current	683.7A
Primary Markings	<u>X1-X2-X3</u>
Primary Terminals	<u>Pads</u>
Secondary Voltage	480
Secondary Max Current	<u>541.3A</u>
Secondary Markings	H1-H2-H3
Secondary Terminals	<u>Pads</u>
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	1.0 - 3.0%
Sound (db)	<u>55</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-8</u>
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



### **OFFICIAL QUOTE**

## 450KVA 380 VOLTS TO 480 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer	<u>Canada/RPM</u>
----------------------	-------------------