


OFFICIAL QUOTE

300KVA 230 VOLTS TO 277 VOLTS THREE PHASE AUTOTRANSFORMER





300KVA 230 VOLTS TO 277 VOLTS THREE PHASE AUTOTRANSFORMER


\$5,383.90 CAD

Three Phase Autotransformer with a capacity of 300kVA, transforming 230Y Volts to 277Y Volts

SKU: RA300C1-D

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 300kVA, transforming 230Y Volts to 277Y Volts



OFFICIAL QUOTE

300KVA 230 VOLTS TO 277 VOLTS THREE PHASE AUTOTRANSFORMER



PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Weight	309 lbs
Phases	<u>3</u>
kVA	300
Connection	<u>3PhA-NT-1</u>
Primary Voltage	230
Primary Max Current	<u>753.1A</u>
Primary Markings	<u>X1-X2-X3</u>
Primary Terminals	<u>Pads</u>
Secondary Voltage	277
Secondary Max Current	625.3A
Secondary Markings	H1-H2-H3
Secondary Terminals	<u>Pads</u>
Primary Taps	N/A
Conductor Material	Aluminum
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	0.5 - 1.5%
Sound (db)	<u>55</u>
Enclosure Type	NEMA 3R Indoor
Enclosure Size	<u>E3R-6</u>
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

300KVA 230 VOLTS TO 277 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------