


OFFICIAL QUOTE

5KVA 230 VOLTS TO 480 VOLTS SINGLE PHASE AUTOTRANSFORMER





5KVA 230 VOLTS TO 480 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$1,064.70 CAD

Single Phase Autotransformer with a capacity of 5kVA, transforming 230 Volts to 480 Volts

SKU: MC5C1-H

Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES






Single Phase Autotransformer with a capacity of 5kVA, transforming 230 Volts to 480 Volts



OFFICIAL QUOTE





PRODUCT SPECIFICATIONS

| Weight | 65.8 lbs |
|----------------------------|--|
| Phases | 1 |
| kVA | <u>5</u> |
| Connection | <u>1PhA-NT-1</u> |
| Primary Voltage | 230 |
| Primary Max Current | 12.6A |
| Primary Markings | <u>X0-X1</u> |
| Primary Terminals | Terminal Blocks |
| Secondary Voltage | 480 |
| Secondary Max Current | <u>6A</u> |
| Secondary Markings | <u>H0-H1</u> |
| Secondary Terminals | Terminal Blocks |
| Primary Taps | N/A |
| Conductor Material | Copper |
| Insulation Class | 180°C (Class F) |
| BIL (Insulation) Level | 10kV |
| Efficiency (@35% Load) % | N/A |
| Impedance Range | 1.5 - 3.5% |
| Sound (db) | 40 dB |
| Enclosure Type | NEMA 1 |
| Enclosure Size | <u>E1-1</u> |
| Finish/Colour | Polyester Powder Coat - ANSI/ASA 61 Grey |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered |



OFFICIAL QUOTE

5KVA 230 VOLTS TO 480 VOLTS SINGLE PHASE AUTOTRANSFORMER



| Country/Manufacturer | Canada/RPM |
|----------------------|------------|
|----------------------|------------|