


**OFFICIAL QUOTE** 

### 15KVA 347 VOLTS TO 110 VOLTS THREE PHASE AUTOTRANSFORMER





## 15KVA 347 VOLTS TO 110 VOLTS THREE PHASE AUTOTRANSFORMER


# \$2,323.60 CAD

Three Phase Autotransformer with a capacity of 15kVA, transforming 347Y Volts to 110Y Volts

SKU: RC15E-A2 Categories: <u>Autotransformer</u>

#### SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Three Phase Autotransformer with a capacity of 15kVA, transforming 347Y Volts to 110Y Volts



**OFFICIAL QUOTE** 

#### 15KVA 347 VOLTS TO 110 VOLTS THREE PHASE AUTOTRANSFORMER



#### **PRODUCT SPECIFICATIONS**

| Weight                     | 78 lbs  |
|----------------------------|---|
| Phases                     | <u>3</u>  |
| kVA                        | <u>15</u>   |
| Connection                 | <u>3PhA-NT-1</u>  |
| Primary Voltage            | 347   |
| Primary Max Current        | <u>25A</u>  |
| Primary Markings           | <u>H1-H2-H3</u>   |
| Primary Terminals          | Terminal Blocks   |
| Secondary Voltage          | <u>110</u>  |
| Secondary Max Current      | <u>78.7A</u>  |
| Secondary Markings         | <u>X1-X2-X3</u>   |
| Secondary Terminals        | <u>#2/0-6 AWG</u>   |
| Primary Taps               | N/A   |
| Conductor Material         | <u>Copper</u>   |
| Insulation Class           | <u>220°C (Class H)</u>  |
| BIL (Insulation) Level     | <u>10kV</u>   |
| Efficiency (@35% Load) %   | <u>N/A</u>  |
| Impedance Range            | <u>2.5 - 4.5%</u>   |
| Sound (db)                 | <u>45</u>   |
| Enclosure Type             | NEMA 3R Indoor  |
| Enclosure Size             | <u>E3R-5</u>  |
| Finish/Colour              | Polyester Powder Coat – ANSI/ASA 61 Grey  |
| Standards & Certifications | <u>CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015</u><br><u>Registered</u> |



**OFFICIAL QUOTE** 

#### 15KVA 347 VOLTS TO 110 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer

Canada/RPM