

#### **OFFICIAL QUOTE**

## 300KVA 600 VOLTS TO 208 VOLTS THREE PHASE AUTOTRANSFORMER





### 300KVA 600 VOLTS TO 208 VOLTS THREE PHASE AUTOTRANSFORMER


\$12,068.73 USD


Three Phase Autotransformer with a capacity of 300kVA, transforming 600Y Volts to 208Y Volts

**SKU:** RA300J-B

**Categories:** Autotransformer

#### **SCHEMATIC/DIAGRAM AND DIMENSION PICTURES**





Three Phase Autotransformer with a capacity of 300kVA, transforming 600Y Volts to 208Y Volts



### **OFFICIAL QUOTE**



# 300KVA 600 VOLTS TO 208 VOLTS THREE PHASE AUTOTRANSFORMER

#### PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATIONS	
Weight	1323 lbs
Phases	<u>3</u>
kVA	300
Connection	3PhA-NT-1
Primary Voltage	600
Primary Max Current	288.7A
Primary Markings	H1-H2-H3
Primary Terminals	<u>Pads</u>
Secondary Voltage	208
Secondary Max Current	832.7A
Secondary Markings	<u>X1-X2-X3</u>
Secondary Terminals	<u>Pads</u>
Primary Taps	N/A
Conductor Material	Aluminum
Insulation Class	220°C (Class H)
BIL (Insulation) Level	10kV
Efficiency (@35% Load) %	N/A
Impedance Range	2.5 - 4.5%
Sound (db)	60
Enclosure Type	NEMA 3R Indoor
Enclosure Size	E3R-9
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015  Registered



### **OFFICIAL QUOTE**

# 300KVA 600 VOLTS TO 208 VOLTS THREE PHASE AUTOTRANSFORMER



Country/Manufacturer	Canada/RPM
----------------------	------------