


OFFICIAL QUOTE

25KVA 600 VOLTS TO 110 VOLTS SINGLE PHASE AUTOTRANSFORMER





25KVA 600 VOLTS TO 110 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$3,161.10 CAD


Single Phase Autotransformer with a capacity of 25kVA, transforming 600 Volts to 110 Volts

SKU: MC25J-A2

Categories: <u>Autotransformer</u>

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 25kVA, transforming 600 Volts to 110 Volts



OFFICIAL QUOTE

25KVA 600 VOLTS TO 110 VOLTS SINGLE PHASE AUTOTRANSFORMER

PRODUCT SPECIFICATIONS

Weight	195.8 lbs
Phases	1
kVA	<u>25</u>
Connection	1PhA-NT-1
Primary Voltage	600
Primary Max Current	24.1A
Primary Markings	H0-H1
Primary Terminals	Terminal Blocks
Secondary Voltage	110
Secondary Max Current	131.2A
Secondary Markings	<u>X0-X1</u>
Secondary Terminals	300MCM-6
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	220°C (Class H)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	<u>2.5 – 4.5%</u>
Sound (db)	45 dB
Enclosure Type	NEMA 3R Indoor
Enclosure Size	E3R-6
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

25KVA 600 VOLTS TO 110 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	<u>Canada/RPM</u>
----------------------	-------------------