


OFFICIAL QUOTE

25KVA 115 VOLTS TO 120 VOLTS SINGLE PHASE AUTOTRANSFORMER





25KVA 115 VOLTS TO 120 VOLTS SINGLE PHASE AUTOTRANSFORMER


\$729.00 CAD

Single Phase Autotransformer with a capacity of 25kVA, transforming 115 Volts to 120 Volts

SKU: MC25A1-A

Categories: Autotransformer

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Autotransformer with a capacity of 25kVA, transforming 115 Volts to 120 Volts



OFFICIAL QUOTE

25KVA 115 VOLTS TO 120 VOLTS SINGLE PHASE AUTOTRANSFORMER



PRODUCT SPECIFICATIONS

Weight	57.7 lbs
Phases	1
kVA	<u>25</u>
Connection	<u>1PhA-NT-1</u>
Primary Voltage	<u>115</u>
Primary Max Current	125.5A
Primary Markings	<u>X0-X1</u>
Primary Terminals	300MCM-6
Secondary Voltage	120
Secondary Max Current	120.3A
Secondary Markings	<u>H0-H1</u>
Secondary Terminals	300MCM-6
Primary Taps	N/A
Conductor Material	Copper
Insulation Class	180°C (Class F)
BIL (Insulation) Level	<u>10kV</u>
Efficiency (@35% Load) %	N/A
Impedance Range	0.5 - 1.5%
Sound (db)	40 dB
Enclosure Type	NEMA 1
Enclosure Size	<u>E1-0</u>
Finish/Colour	Polyester Powder Coat - ANSI/ASA 61 Grey
Standards & Certifications	CSA Certified File No. LR34493, UL Listed File No. E108255, ISO 9001:2015 Registered



OFFICIAL QUOTE

25KVA 115 VOLTS TO 120 VOLTS SINGLE PHASE AUTOTRANSFORMER



Country/Manufacturer	<u>Canada/RPM</u>
----------------------	-------------------