

25VA 120/240 VOLTS TO 240/480 VOLTS SINGLE PHASE CONTROL TRANSFORMER





25VA 120/240 VOLTS TO 240/480 VOLTS SINGLE PHASE CONTROL TRANSFORMER

\$145.60 CAD


Single Phase Control Transformer with a capacity of 25VA, transforming 120/240 Volts to 240/480 Volts

SKU: CE25K-L

Categories: Control Transformers

SCHEMATIC/DIAGRAM AND DIMENSION PICTURES





Single Phase Control Transformer with a capacity of 25VA, transforming 120/240 Volts to 240/480 Volts



25VA 120/240 VOLTS TO 240/480 VOLTS SINGLE PHASE CONTROL TRANSFORMER





25VA 120/240 VOLTS TO 240/480 VOLTS SINGLE PHASE CONTROL TRANSFORMER

PRODUCT SPECIFICATIONS

| Weight | 2.3 lbs |
|----------------------------|--------------------------------------------------------------------------------------|
| Phases | 1 |
| Connection | 1Ph-CT-DD-SU |
| Primary Voltage | 120/240 |
| Primary Max Current | 0.21A |
| Primary Markings | <u>X1-X2-X3-X4</u> |
| Primary Terminals | <u>Leads</u> |
| Secondary Voltage | 240/480 |
| Secondary Max Current | <u>0.1A</u> |
| Secondary Markings | H1-H2-H3-H4 |
| Secondary Terminals | <u>Leads</u> |
| Primary Taps | N/A |
| Conductor Material | <u>Copper</u> |
| Temperatue Rise | 80°C |
| Insuation Class | 130°C (Class B) |
| BIL (Insulation) Level | <u>10kV</u> |
| Efficiency (@35% Load) % | N/A |
| Impedance Range | <u>5.0 - 7.0%</u> |
| Sound (db) | 40 |
| Enclosure Type | Type-1 Indoor |
| Enclosure Size | See Enclosure Chart |
| Finish/Colour | Semigloss - Black |
| Standards & Certifications | CSA Certified File No. LR34493, UL Listed File No. E110286, ISO 9001:2015 Registered |





25VA 120/240 VOLTS TO 240/480 VOLTS SINGLE PHASE CONTROL TRANSFORMER

| VA | |
|----------------------|------------|
| Country/Manufacturer | Canada/RPM |